

Homeless Data import/export file format

Format Comma delimited
Data Validations See validations document

This import does not remove records. Records are updated in homeless data when there is a match on StateID, SchoolYear, PlantNumber, Grade and HomelessStartDate. Records are inserted into homeless data when there is no match on StateID, SchoolYear, PlantNumber, Grade and HomelessStartDate. Records are only inserted to HomelessPupilNightResidence(field 35) when there is no match on StateID, SchoolYear, PlantNumber, Grade, and ResidenceCD, records are not deleted or updated. Records only inserted to HomelessPupilMcKinneyVentoServices(field 18) when there is no match on StateID, SchoolYear, PlantNumber, Grade, and ServiceCD, records are not deleted or updated.

Name	Description	Data Type	Length	Format	Import Comments
1 StateID	The unique state identifier for the student	char	14	xxxxxxxxxx xx	Used to identify the student record on import.
2 SchoolYear	SchoolYear	Character	4	Xxxx ie. 2003	
3 Serving Educational Entity	Serving Educational Entity	Character	9	xxxxxxxx (County, District, Plant Number)	
4 Resident Educational Entity	Resident EducationalEntity	Character	5	xxxxxxx (county, district)	Used to identify the student record on import.
5 GradeEnrolled	GradeEnrolled	Character	2	xx - (PK, K, 1,2,...12)	
6 PlantBeginDate	PlantBeginDate	Character	8	yyyymmdd	Used to identify the student record on import.
7 DistrictName	The name of the district where the student is enrolled.	char	50		Ignored on Import
8 PlantName	The name of the plant where the student is enrolled	char	50		Ignored on Import
9 LastName	The last name of the student	char	50		Ignored on Import
10 FirstName	The first name of the student.	char	50		Ignored on Import
11 MiddleName	The middle name of the student.	char	50		Ignored on Import
12 DOB	The students date of birth	char	8	yyyymmdd	Ignored on Import
13 Gender	The students gender	char	1		Ignored on Import
14 HomelessStartDate	The date the student's homeless session began.	char	8	yyyymmdd	If a record already exists in the database with the supplied Homeless start date, the EndDate, Unaccompanied, and McKinney Vento Funds data for the record will be updated. Otherwise a new record will be inserted.
15 HomelessEndDate	The date the student's homeless session ended.	char	8	yyyymmdd	Value in the file will replace the value in the database

Homeless Data import/export file format

Format Comma delimited
Data Validations See validations document

This import does not remove records. Records are updated in homeless data when there is a match on StateID, SchoolYear, PlantNumber, Grade and HomelessStartDate. Records are inserted into homeless data when there is no match on StateID, SchoolYear, PlantNumber, Grade and HomelessStartDate. Records are only inserted to HomelessPupilNightResidence(field 35) when there is no match on StateID, SchoolYear, PlantNumber, Grade, and ResidenceCD, records are not deleted or updated. Records only inserted to HomelessPupilMcKinneyVentoServices(field 18) when there is no match on StateID, SchoolYear, PlantNumber, Grade, and ServiceCD, records are not deleted or updated.

Name	Description	Data Type	Length	Format	Import Comments	
16	Unaccompanied	Flag indicating if the student was unaccompanied during the homeless session.	char	1		Must be '0 - No' or '1 - Yes'
17	ServedWithMcKinney VentoFunds	Flag indicating if the student was served with McKinney Vento funds during the homeless session.	char	2	xx	Value in the file will replace the value in the database. See Table Below.
18	CoordinationBetween SchoolsAndAgencies	Flag indicating if the student received this McKinney Vento service at any time during a homeless session for this school year.	char	1	x	Must be '0 - No' or '1 - Yes' If '1' the student will be marked as receiving the service. If '0', the value currently in the database for this service will not be updated. In this way, import can only add services to a student record.
19	TutoringOrOther InstructionalSupport	Flag indicating if the student received this McKinney Vento service at any time during a homeless session for this school year.	char	1	x	Must be '0 - No' or '1 - Yes' If '1' the student will be marked as receiving the service. If '0', the value currently in the database for this service will not be updated. In this way, import can only add services to a student record.
20	StaffProfDevelopment AndAwareness	Flag indicating if the student received this McKinney Vento service at any time during a homeless session for this school year.	char	1	x	Must be '0 - No' or '1 - Yes' If '1' the student will be marked as receiving the service. If '0', the value currently in the database for this service will not be updated. In this way, import can only add services to a student record.
21	ReferralsForMedical DentalAndOtherHealth Services	Flag indicating if the student received this McKinney Vento service at any time during a homeless session for this school year.	char	1	x	Must be '0 - No' or '1 - Yes' If '1' the student will be marked as receiving the service. If '0', the value currently in the database for this service will not be updated. In this way, import can only add services to a student record.

Homeless Data import/export file format

Format Comma delimited
Data Validations See validations document

This import does not remove records. Records are updated in homeless data when there is a match on StateID, SchoolYear, PlantNumber, Grade and HomelessStartDate. Records are inserted into homeless data when there is no match on StateID, SchoolYear, PlantNumber, Grade and HomelessStartDate. Records are only inserted to HomelessPupilNightResidence(field 35) when there is no match on StateID, SchoolYear, PlantNumber, Grade, and ResidenceCD, records are not deleted or updated. Records only inserted to HomelessPupilMcKinneyVentoServices(field 18) when there is no match on StateID, SchoolYear, PlantNumber, Grade, and ServiceCD, records are not deleted or updated.

Name	Description	Data Type	Length	Format	Import Comments
22 Transportation - McKinneyVento	Flag indicating if the student received this McKinney Vento service at any time during a homeless session for this school year.	char		1 x	Must be '0 - No' or '1 - Yes' If '1' the student will be marked as receiving the service. If '0', the value currently in the database for this service will not be updated. In this way, import can only add services to a student record.
23 AssistanceWith ParticipationInSchool Programs	Flag indicating if the student received this McKinney Vento service at any time during a homeless session for this school year.	char		1 x	Must be '0 - No' or '1 - Yes' If '1' the student will be marked as receiving the service. If '0', the value currently in the database for this service will not be updated. In this way, import can only add services to a student record.
24 EarlyChildhoodPrograms	Flag indicating if the student received this McKinney Vento service at any time during a homeless session for this school year.	char		1 x	Must be '0 - No' or '1 - Yes' If '1' the student will be marked as receiving the service. If '0', the value currently in the database for this service will not be updated. In this way, import can only add services to a student record.
25 BeforeSchoolAfter SchoolMentoring SummerPrograms	Flag indicating if the student received this McKinney Vento service at any time during a homeless session for this school year.	char		1 x	Must be '0 - No' or '1 - Yes' If '1' the student will be marked as receiving the service. If '0', the value currently in the database for this service will not be updated. In this way, import can only add services to a student record.
26 Counseling	Flag indicating if the student received this McKinney Vento service at any time during a homeless session for this school year.	char		1 x	Must be '0 - No' or '1 - Yes' If '1' the student will be marked as receiving the service. If '0', the value currently in the database for this service will not be updated. In this way, import can only add services to a student record.

Homeless Data import/export file format

Format Comma delimited
Data Validations See validations document

This import does not remove records. Records are updated in homeless data when there is a match on StateID, SchoolYear, PlantNumber, Grade and HomelessStartDate. Records are inserted into homeless data when there is no match on StateID, SchoolYear, PlantNumber, Grade and HomelessStartDate. Records are only inserted to HomelessPupilNightResidence(field 35) when there is no match on StateID, SchoolYear, PlantNumber, Grade, and ResidenceCD, records are not deleted or updated. Records only inserted to HomelessPupilMcKinneyVentoServices(field 18) when there is no match on StateID, SchoolYear, PlantNumber, Grade, and ServiceCD, records are not deleted or updated.

Name	Description	Data Type	Length	Format	Import Comments	
27	ParentEducationRelatedToRightsAndResourcesForChildren	Flag indicating if the student received this McKinney Vento service at any time during a homeless session for this school year.	char		1 x	Must be '0 - No' or '1 - Yes' If '1' the student will be marked as receiving the service. If '0', the value currently in the database for this service will not be updated. In this way, import can only add services to a student record.
28	ExpeditedEvaluations	Flag indicating if the student received this McKinney Vento service at any time during a homeless session for this school year.	char		1 x	Must be '0 - No' or '1 - Yes' If '1' the student will be marked as receiving the service. If '0', the value currently in the database for this service will not be updated. In this way, import can only add services to a student record.
29	ObtainingOrTransferringRecordsNecessaryForEnrollment	Flag indicating if the student received this McKinney Vento service at any time during a homeless session for this school year.	char		1 x	Must be '0 - No' or '1 - Yes' If '1' the student will be marked as receiving the service. If '0', the value currently in the database for this service will not be updated. In this way, import can only add services to a student record.
30	Clothing	Flag indicating if the student received this McKinney Vento service at any time during a homeless session for this school year.	char		1 x	Must be '0 - No' or '1 - Yes' If '1' the student will be marked as receiving the service. If '0', the value currently in the database for this service will not be updated. In this way, import can only add services to a student record.
31	AddressingNeedsRelatedToDomesticViolence	Flag indicating if the student received this McKinney Vento service at any time during a homeless session for this school year.	char		1 x	Must be '0 - No' or '1 - Yes' If '1' the student will be marked as receiving the service. If '0', the value currently in the database for this service will not be updated. In this way, import can only add services to a student record.

Homeless Data import/export file format

Format Comma delimited
Data Validations See validations document

This import does not remove records. Records are updated in homeless data when there is a match on StateID, SchoolYear, PlantNumber, Grade and HomelessStartDate. Records are inserted into homeless data when there is no match on StateID, SchoolYear, PlantNumber, Grade and HomelessStartDate. Records are only inserted to HomelessPupilNightResidence(field 35) when there is no match on StateID, SchoolYear, PlantNumber, Grade, and ResidenceCD, records are not deleted or updated. Records only inserted to HomelessPupilMcKinneyVentoServices(field 18) when there is no match on StateID, SchoolYear, PlantNumber, Grade, and ServiceCD, records are not deleted or updated.

Name	Description	Data Type	Length	Format	Import Comments
32 SchoolSupplies	Flag indicating if the student received this McKinney Vento service at any time during a homeless session for this school year.	char		1 x	Must be '0 - No' or '1 - Yes' If '1' the student will be marked as receiving the service. If '0', the value currently in the database for this service will not be updated. In this way, import can only add services to a student record.
33 ReferralToOther ProgramsAndServices	Flag indicating if the student received this McKinney Vento service at any time during a homeless session for this school year.	char		1 x	Must be '0 - No' or '1 - Yes' If '1' the student will be marked as receiving the service. If '0', the value currently in the database for this service will not be updated. In this way, import can only add services to a student record.
34 OtherServicesOr Activities	Flag indicating if the student received this McKinney Vento service at any time during a homeless session for this school year.	char		1 x	Must be '0 - No' or '1 - Yes' If '1' the student will be marked as receiving the service. If '0', the value currently in the database for this service will not be updated. In this way, import can only add services to a student record.
35 EmergencyAssistance RelatedToSchool Attendance	Flag indicating if the student received this McKinney Vento service at any time during a homeless session for this school year.	char		1 x	Must be '0 - No' or '1 - Yes' If '1' the student will be marked as receiving the service. If '0', the value currently in the database for this service will not be updated. In this way, import can only add services to a student record.
36 Shelter	Flag indicating if the student used this night residence at any time during a homeless session for this school year	char		1 x	Must be '0 - No' or '1 - Yes' If '1' the student will be marked as receiving the service. If '0', the value currently in the database for this service will not be updated. In this way, import can only add services to a student record.

Homeless Data import/export file format

Format Comma delimited
Data Validations See validations document

This import does not remove records. Records are updated in homeless data when there is a match on StateID, SchoolYear, PlantNumber, Grade and HomelessStartDate. Records are inserted into homeless data when there is no match on StateID, SchoolYear, PlantNumber, Grade and HomelessStartDate. Records are only inserted to HomelessPupilNightResidence(field 35) when there is no match on StateID, SchoolYear, PlantNumber, Grade, and ResidenceCD, records are not deleted or updated. Records only inserted to HomelessPupilMcKinneyVentoServices(field 18) when there is no match on StateID, SchoolYear, PlantNumber, Grade, and ServiceCD, records are not deleted or updated.

Name	Description	Data Type	Length	Format	Import Comments	
37	Doubled-up	Flag indicating if the student used this night residence at any time during a homeless session for this school year	char		1 x	Must be '0 - No' or '1 - Yes' If '1' the student will be marked as receiving the service. If '0', the value currently in the database for this service will not be updated. In this way, import can only add services to a student record.
38	HotelMotel	Flag indicating if the student used this night residence at any time during a homeless session for this school year	char		1 x	Must be '0 - No' or '1 - Yes' If '1' the student will be marked as receiving the service. If '0', the value currently in the database for this service will not be updated. In this way, import can only add services to a student record.
39	Unsheltered	Flag indicating if the student used this night residence at any time during a homeless session for this school year	char		1 x	Must be '0 - No' or '1 - Yes' If '1' the student will be marked as receiving the service. If '0', the value currently in the database for this service will not be updated. In this way, import can only add services to a student record.
40	Other	Flag indicating if the student used this night residence at any time during a homeless session for this school year	char		1 x	Must be '0 - No' or '1 - Yes' If '1' the student will be marked as receiving the service. If '0', the value currently in the database for this service will not be updated. In this way, import can only add services to a student record.
41	Unknown	Flag indicating if the student used this night residence at any time during a homeless session for this school year	char		1 x	Must be '0 - No' or '1 - Yes' If '1' the student will be marked as receiving the service. If '0', the value currently in the database for this service will not be updated. In this way, import can only add services to a student record.

Homeless Data import/export file format

Format Comma delimited
Data Validations See validations document

This import does not remove records. Records are updated in homeless data when there is a match on StateID, SchoolYear, PlantNumber, Grade and HomelessStartDate. Records are inserted into homeless data when there is no match on StateID, SchoolYear, PlantNumber, Grade and HomelessStartDate. Records are only inserted to HomelessPupilNightResidence(field 35) when there is no match on StateID, SchoolYear, PlantNumber, Grade, and ResidenceCD, records are not deleted or updated. Records only inserted to HomelessPupilMcKinneyVentoServices(field 18) when there is no match on StateID, SchoolYear, PlantNumber, Grade, and ServiceCD, records are not deleted or updated.

Name	Description	Data Type	Length	Format	Import Comments
42 Eligibility for Homeless services	Flag indicating if the student Homeless barriers at any time during a homeless session for this school year	char		1 x	Must be '0 - No' or '1 - Yes' If '1' the student will be marked as receiving the service. If '0', the value currently in the database for this service will not be updated. In this way, import can only add services to a student record.
43 School Selection	Flag indicating if the student Homeless barriers at any time during a homeless session for this school year	char		1 x	Must be '0 - No' or '1 - Yes' If '1' the student will be marked as receiving the service. If '0', the value currently in the database for this service will not be updated. In this way, import can only add services to a student record.
44 Transportation - Homeless Barrier	Flag indicating if the student Homeless barriers at any time during a homeless session for this school year	char		1 x	Must be '0 - No' or '1 - Yes' If '1' the student will be marked as receiving the service. If '0', the value currently in the database for this service will not be updated. In this way, import can only add services to a student record.
45 School Records	Flag indicating if the student Homeless barriers at any time during a homeless session for this school year	char		1 x	Must be '0 - No' or '1 - Yes' If '1' the student will be marked as receiving the service. If '0', the value currently in the database for this service will not be updated. In this way, import can only add services to a student record.
46 Immunizations	Flag indicating if the student Homeless barriers at any time during a homeless session for this school year	char		1 x	Must be '0 - No' or '1 - Yes' If '1' the student will be marked as receiving the service. If '0', the value currently in the database for this service will not be updated. In this way, import can only add services to a student record.

Homeless Data import/export file format

Format Comma delimited
Data Validations See validations document

This import does not remove records. Records are updated in homeless data when there is a match on StateID, SchoolYear, PlantNumber, Grade and HomelessStartDate. Records are inserted into homeless data when there is no match on StateID, SchoolYear, PlantNumber, Grade and HomelessStartDate. Records are only inserted to HomelessPupilNightResidence(field 35) when there is no match on StateID, SchoolYear, PlantNumber, Grade, and ResidenceCD, records are not deleted or updated. Records only inserted to HomelessPupilMcKinneyVentoServices(field 18) when there is no match on StateID, SchoolYear, PlantNumber, Grade, and ServiceCD, records are not deleted or updated.

Name	Description	Data Type	Length	Format	Import Comments	
47	Other Enrollment Issues	Flag indicating if the student Homeless barriers at any time during a homeless session for this school year	char		1 x	Must be '0 - No' or '1 - Yes' If '1' the student will be marked as receiving the service. If '0', the value currently in the database for this service will not be updated. In this way, import can only add services to a student record.
48	ParentGuardian Name	Guardian Name	char		50	
49	ParentGuardian Address	Guardian Address	char		50	
50	ParentGuardian City	Guardian City	char		50	
51	ParentGuardian State	Guardian State	char		2 xx	
52	ParentGuardian Zip	Guardian Zip	char		10 xxxxx-xxxx	
53	School last attended	School last attended	char		50	Must be '0 - No' or '1 - Yes' If '1' the student will be marked as receiving the service. If '0', the value currently in the database for this service will not be updated. In this way, import can only add services to a student record.
54	LastDayInAttendance	Last day of attendance	char		8 yyyymmdd	
55	DislocatedByNaturalDisaster					
56	OriginSchoolAttending	Student attending School of origin	char		1 x	Must be '0 - No' or '1 - Yes' If '1' the student will be marked as receiving the service. If '0', the value currently in the database for this service will not be updated. In this way, import can only add services to a student record.
57	OriginSchoolInDistrict	School of origin with in district	char		1 x	Must be '0 - No' or '1 - Yes' If '1' the student will be marked as receiving the service. If '0', the value currently in the database for this service will not be updated. In this way, import can only add services to a student record.

Homeless Data import/export file format

Format Comma delimited
Data Validations See validations document

This import does not remove records. Records are updated in homeless data when there is a match on StateID, SchoolYear, PlantNumber, Grade and HomelessStartDate. Records are inserted into homeless data when there is no match on StateID, SchoolYear, PlantNumber, Grade and HomelessStartDate. Records are only inserted to HomelessPupilNightResidence(field 35) when there is no match on StateID, SchoolYear, PlantNumber, Grade, and ResidenceCD, records are not deleted or updated. Records only inserted to HomelessPupilMcKinneyVentoServices(field 18) when there is no match on StateID, SchoolYear, PlantNumber, Grade, and ServiceCD, records are not deleted or updated.

Name	Description	Data Type	Length	Format	Import Comments	
58	OriginSchoolAcross Districts	Is school of origin across district boundries	char		1 x	Must be '0 - No' or '1 - Yes' If '1' the student will be marked as receiving the service. If '0', the value currently in the database for this service will not be updated. In this way, import can only add services to a student record.
59	EnrolledInVocational Ed	EnrolledInVocationalE	char		1 x	Must be '0 - No' or '1 - Yes' If '1' the student will be marked as receiving the service. If '0', the value currently in the database for this service will not be updated. In this way, import can only add services to a student record.
60	OriginSchoolParentsWishToEnroll	OriginSchoolParentsW	char		1 x	Must be '0 - No' or '1 - Yes' If '1' the student will be marked as receiving the service. If '0', the value currently in the database for this service will not be updated. In this way, import can only add services to a student record.
61	OriginSchoolTransportationProvided	OriginSchoolTransport	char		1 x	Must be '0 - No' or '1 - Yes' If '1' the student will be marked as receiving the service. If '0', the value currently in the database for this service will not be updated. In this way, import can only add services to a student record.
62	UnmetNeeds	UnmetNeeds	char		1 x	Must be '0 - No' or '1 - Yes' If '1' the student will be marked as receiving the service. If '0', the value currently in the database for this service will not be updated. In this way, import can only add services to a student record.

Homeless Data import/export file format

Format Comma delimited
Data Validations See validations document

This import does not remove records. Records are updated in homeless data when there is a match on StateID, SchoolYear, PlantNumber, Grade and HomelessStartDate. Records are inserted into homeless data when there is no match on StateID, SchoolYear, PlantNumber, Grade and HomelessStartDate. Records are only inserted to HomelessPupilNightResidence(field 35) when there is no match on StateID, SchoolYear, PlantNumber, Grade, and ResidenceCD, records are not deleted or updated. Records only inserted to HomelessPupilMcKinneyVentoServices(field 18) when there is no match on StateID, SchoolYear, PlantNumber, Grade, and ServiceCD, records are not deleted or updated.

Name	Description	Data Type	Length	Format	Import Comments
63 Living with Family	Flag indicating if the student Homeless Status at any time during a homeless session for this school year	char		1 x	Must be '0 - No' or '1 - Yes' If '1' the student will be marked as receiving the service. If '0', the value currently in the database for this service will not be updated. In this way, import can only add services to a student record.
64 Separated from family	Flag indicating if the student Homeless Status at any time during a homeless session for this school year	char		1 x	Must be '0 - No' or '1 - Yes' If '1' the student will be marked as receiving the service. If '0', the value currently in the database for this service will not be updated. In this way, import can only add services to a student record.
65 Foster care pending	Flag indicating if the student Homeless Status at any time during a homeless session for this school year	char		1 x	Must be '0 - No' or '1 - Yes' If '1' the student will be marked as receiving the service. If '0', the value currently in the database for this service will not be updated. In this way, import can only add services to a student record.
66 Runaway	Flag indicating if the student Homeless Status at any time during a homeless session for this school year	char		1 x	Must be '0 - No' or '1 - Yes' If '1' the student will be marked as receiving the service. If '0', the value currently in the database for this service will not be updated. In this way, import can only add services to a student record.
67 Unaccompanied Youth	Flag indicating if the student Homeless Status at any time during a homeless session for this school year	char		1 x	Must be '0 - No' or '1 - Yes' If '1' the student will be marked as receiving the service. If '0', the value currently in the database for this service will not be updated. In this way, import can only add services to a student record.

Homeless Data import/export file format

Format Comma delimited
Data Validations See validations document

This import does not remove records. Records are updated in homeless data when there is a match on StateID, SchoolYear, PlantNumber, Grade and HomelessStartDate. Records are inserted into homeless data when there is no match on StateID, SchoolYear, PlantNumber, Grade and HomelessStartDate. Records are only inserted to HomelessPupilNightResidence(field 35) when there is no match on StateID, SchoolYear, PlantNumber, Grade, and ResidenceCD, records are not deleted or updated. Records only inserted to HomelessPupilMcKinneyVentoServices(field 18) when there is no match on StateID, SchoolYear, PlantNumber, Grade, and ServiceCD, records are not deleted or updated.

Name	Description	Data Type	Length	Format	Import Comments	
68	Throw away	Flag indicating if the student Homeless Status at any time during a homeless session for this school year	char	1	x	Must be '0 - No' or '1 - Yes' If '1' the student will be marked as receiving the service. If '0', the value currently in the database for this service will not be updated. In this way, import can only add services to a student record.
69	Abandoned	Flag indicating if the student Homeless Status at any time during a homeless session for this school year	char	1	x	Must be '0 - No' or '1 - Yes' If '1' the student will be marked as receiving the service. If '0', the value currently in the database for this service will not be updated. In this way, import can only add services to a student record.
70	OtherHomelessStatus	Flag indicating if the student Homeless Status at any time during a homeless session for this school year	char	1	x	Must be '0 - No' or '1 - Yes' If '1' the student will be marked as receiving the service. If '0', the value currently in the database for this service will not be updated. In this way, import can only add services to a student record.
71	ExtendedBusRoute	Flag indicating if the student has transportation provided at any time during a homeless session for this school year	char	1	x	Must be '0 - No' or '1 - Yes' If '1' the student will be marked as receiving the service. If '0', the value currently in the database for this service will not be updated. In this way, import can only add services to a student record.
72	Contracted Transportation Services	Flag indicating if the student has transportation provided at any time during a homeless session for this school year	char	1	x	Must be '0 - No' or '1 - Yes' If '1' the student will be marked as receiving the service. If '0', the value currently in the database for this service will not be updated. In this way, import can only add services to a student record.

Homeless Data import/export file format

Format Comma delimited
Data Validations See validations document

This import does not remove records. Records are updated in homeless data when there is a match on StateID, SchoolYear, PlantNumber, Grade and HomelessStartDate. Records are inserted into homeless data when there is no match on StateID, SchoolYear, PlantNumber, Grade and HomelessStartDate. Records are only inserted to HomelessPupilNightResidence(field 35) when there is no match on StateID, SchoolYear, PlantNumber, Grade, and ResidenceCD, records are not deleted or updated. Records only inserted to HomelessPupilMcKinneyVentoServices(field 18) when there is no match on StateID, SchoolYear, PlantNumber, Grade, and ServiceCD, records are not deleted or updated.

Name	Description	Data Type	Length	Format	Import Comments
73 PrivatelyOwned NonFamilyVehicle	Flag indicating if the student has transportation provided at any time during a homeless session for this school year	char		1 x	Must be '0 - No' or '1 - Yes' If '1' the student will be marked as receiving the service. If '0', the value currently in the database for this service will not be updated. In this way, import can only add services to a student record.
74 ReimbursingFamilyForMileage	Flag indicating if the student has transportation provided at any time during a homeless session for this school year	char		1 x	Must be '0 - No' or '1 - Yes' If '1' the student will be marked as receiving the service. If '0', the value currently in the database for this service will not be updated. In this way, import can only add services to a student record.
75 PublicTransportation	Flag indicating if the student has transportation provided at any time during a homeless session for this school year	char		1 x	Must be '0 - No' or '1 - Yes' If '1' the student will be marked as receiving the service. If '0', the value currently in the database for this service will not be updated. In this way, import can only add services to a student record.
76 SpecialEducation BusVan	Flag indicating if the student has transportation provided at any time during a homeless session for this school year	char		1 x	Must be '0 - No' or '1 - Yes' If '1' the student will be marked as receiving the service. If '0', the value currently in the database for this service will not be updated. In this way, import can only add services to a student record.
77 City_CountyServices	Flag indicating if the student has transportation provided at any time during a homeless session for this school year	char		1 x	Must be '0 - No' or '1 - Yes' If '1' the student will be marked as receiving the service. If '0', the value currently in the database for this service will not be updated. In this way, import can only add services to a student record.

Homeless Data import/export file format

Format Comma delimited
Data Validations See validations document

This import does not remove records. Records are updated in homeless data when there is a match on StateID, SchoolYear, PlantNumber, Grade and HomelessStartDate. Records are inserted into homeless data when there is no match on StateID, SchoolYear, PlantNumber, Grade and HomelessStartDate. Records are only inserted to HomelessPupilNightResidence(field 35) when there is no match on StateID, SchoolYear, PlantNumber, Grade, and ResidenceCD, records are not deleted or updated. Records only inserted to HomelessPupilMcKinneyVentoServices(field 18) when there is no match on StateID, SchoolYear, PlantNumber, Grade, and ServiceCD, records are not deleted or updated.

Name	Description	Data Type	Length	Format	Import Comments
78 Taxi	Flag indicating if the student has transportation provided at any time during a homeless session for this school year	char		1 x	Must be '0 - No' or '1 - Yes' If '1' the student will be marked as receiving the service. If '0', the value currently in the database for this service will not be updated. In this way, import can only add services to a student record.
79 OtherTransportationMode	Flag indicating if the student has transportation provided at any time during a homeless session for this school year	char		1 x	Must be '0 - No' or '1 - Yes' If '1' the student will be marked as receiving the service. If '0', the value currently in the database for this service will not be updated. In this way, import can only add services to a student record.